

ILD252

INDUCTION LOOP DRIVER

Table of contents

- 1. INTRODUCTION**
- 2. SAFETY INSTRUCTIONS**
- 3. UNIT OVERVIEW**
 - 3.1 Terminology used in this handbook
 - Compression
 - 3.2 Unpacking and inspection
 - 3.3 Selection of location
 - 3.4 Ventilation
 - 3.5 Magnetic fields
 - 3.6 Layout of the unit
 - 3.7 Back panel controls & connectors
 - AC Power
 - Line Input
 - Microphone Input
 - Slave (I/O)
 - ±15V DC Output
 - Loop Monitor
 - Loop output
 - Earth Link
 - 3.8 Front panel controls & indicators
 - Power Switch
 - Power LED
 - MIC and LINE gain control
 - Compression LEDs
 - LOOP CURRENT control
 - Loop Monitor
 - CURRENT LEDs
 - OVERLOAD LED
 - OVERHEAT LED
 - LOOP ERROR LED
- 4. OPERATION & SYSTEM SET-UP**
 - 4.1 Start-up Procedure
 - 4.2 Initial Setting up
 - 4.3 Optimising the Levels
 - 4.4 Metal Loss Correction
- 5. ACCESSORIES**
 - 5.1 Rack and Wall mounting
 - 5.2 Microphone Pre-amplifiers
 - 5.3 100V Line connection
- 6. TROUBLESHOOTING**
 - 6.1 General
 - 6.2 Fuses
 - 6.3 Ventilation & Overheating
 - 6.4 Loop Error
- 7. SPECIFICATION**
- 8. WARRANTY INFORMATION**
- 9. CE DECLARATION OF CONFORMITY**

 This symbol is used to alert the user to important operating or maintenance instructions

 The Lightning bolt triangle is used to alert the user to the risk of electric shock.

1. INTRODUCTION

The ILD252 Induction Loop Driver has been designed as a very high quality driver for audio frequency induction loops. Ease of installation and use have been major factors in the design, combined with optimised performance, and freedom from R.F.I generation.

To ensure compliance with all technical standards, it is essential that the equipment shall be installed by an individual who is technically competent in professional audio, and who has the necessary installation skills.

In order to achieve acceptable performance with respect to governing standards, the design, selection & installation of the loop layout is a critical part of the loop system. Before this induction loop driver is connected to any loop, the 'Designing induction loops' handbook that accompanies this amplifier must be read, and adhered to.

2. SAFETY INSTRUCTIONS

- 1- It is important to read these instructions, and to follow them.
- 2- Keep this instruction manual in an accessible place.
- 3- Clean only with a dry cloth. Cleaning fluids may affect the equipment.
- 4- Do not block any ventilation openings. Install in accordance with the manufacturers instructions. See sections 3.3, 3.4 and 6.3 for detailed instructions.
- 5- Do not install near any heat sources such as radiators, heating vents, or other apparatus that produce heat.
- 6- WARNING - THIS APPARATUS MUST BE EARTHED / GROUNDED.
- 7- Only power cords with the correct power connector may be used to maintain safety, Cables such as the UK 13A fused plug, Schuko with earthing contacts and UL approved "grounding type" are acceptable. These must be plugged into power outlets which provide a protective earth.
- 8- Refer all servicing to qualified personnel. Servicing is required when the apparatus has been damaged in any way, such as a power supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to

any rain or moisture, does not operate normally or has been dropped.

- 9- WARNING: To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture. The apparatus shall not be exposed to dripping or splashing and no objects filled with liquids, such as vases, shall be placed on the apparatus



TO PREVENT ELECTRIC SHOCK DO NOT REMOVE THE COVER. THERE ARE NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED PERSONNEL.

3. UNIT OVERVIEW.

3.1 Terminology used in this handbook.

Compression:

The amplitude range of the input signal to the amplifier can be wide-ranging. Hearing aid users have a reduced range of loudness for an acceptable intelligibility. Thus, changes between loud and soft speech must be corrected for best understanding. The term compression in this context, refers to a high-performance Automatic Gain Control (AGC) system, which maintains the dynamic structure of a signal such as speech for short durations, but changes the gain to ensure that the ongoing level of the signal is comfortable for the listener.

3.2 Unpacking & Inspection

Inspect the equipment upon unpacking, to ensure that the contents of the shipping carton are not damaged.

3.3 Selection of Installation location

Care must be taken that this location provides satisfactory ventilation for the equipment. The unit may be free standing in open space or 19" rack mounted. The unit is 1U high. For further details of mounting see sections 3.4 & 6.3.

3.4 Ventilation



Enough space must be available to permit free airflow across the air vents at the side and rear of the unit. The amount of heat generated depends on the loop size, and wire gauge, but can be such that the reliability of the equipment will be reduced if the system ventilation is poor. The equipment is designed to shut down when it overheats.

The equipment uses an internal fan for forced ventilation. The air intake is at the left side of the unit, and the air exhaust is on the rear panel. Both of these locations must be unobstructed for satisfactory cooling. If the unit is installed in an enclosed environment, sufficient air flow in the enclosure must be provided through vents, fans or other means. See also section 6.3.

3.5 Magnetic Fields



Ensure that the location chosen is free from strong magnetic fields may affect correct system functioning.

3.6 Layout of the Unit


See page 12 of this handbook for the layout of the front and rear panels.

3.7 Back Panel Controls & Connections

AC Power: This is a standard IEC320/CEE22 3-pole connector. The connector housing also incorporates the primary fuse for the equipment. Use the supplied power cable, connected to an appropriate, correctly rated outlet.

Line Input: This input to the equipment is a balanced line high impedance input connection, which also permits unbalanced operation. The connection is made via a 2-pole (unbalanced) or 3-pole (balanced) 6.3mm jack plug. Unbalanced connections must be less than 3 metres in length. The audio signal here is at "line level". See 7. Technical Specifications for details.

To prevent earth current loops causing hum effects, it is usually best to use the balanced input mode, even when the input signal comes from an unbalanced source. Use a good quality two-core plus screen cable as shown in the figure below. The connector sleeve is connected to the screening braid, the ring connected via one of the two cores to the source ground, and the tip to the source signal.



Microphone Input: This input provides an electronically balanced XLR style input for direct connection of a balanced microphone. The adjacent switches allow the selection of the phantom supply where needed, and an adjustment of the input sensitivity, which may be necessary as some condenser microphones have a very high output level. In normal conditions, this switch is set to OFF, unless a low-output dynamic microphone is used. It is important to use good quality shielded cable. Often, some poorly constructed cables are found to be susceptible to pick-up.

Where several microphones need to be used, a Microphone Preamp can be used, driving the Line Input. See 5.2 for details.

Slave I/O: The insertion of a 6.3mm (1/4") 3-pole jack breaks the link between the input stage / compressor and the loop power driver. The tip of the plug will be the preamp output (after compression) and the ring connection is the input to the power amplifier. This connector is mainly used for the connection of the special signal processor used in low-spillover loop installations where the master unit controls the signal gain, and the slave unit operates purely as a power driver. This is essential to ensure full tracking between amplifiers. ***Under no circumstances should this input be used as a normal input***, as this bypasses the compression circuit. This compression is essential to the correct operation of other circuits which prevent RFI generation. Cable length from amplifier to processor must be less than 3 metres / 10 feet. Where several amplifiers are used with a combiner for driving very large loops, then the slave output of one amplifier, the master, drives the slave input of all units, such that only one input configuration, and compressor, are used in the total system.


The connection is also valuable for driving other audio equipment such as tape/cassette recording equipment, as the signal has been processed by the compressor, and therefore the dynamic range of the signal is reduced by the amount of compression. To obtain this recording facility the tip and ring of the 3-pole jack plug must be electrically joined. Do not use 2-pole plugs.

±15V DC Output : 3 pin power mini DIN socket for connection of Ampetronic accessories such as signal processors and Pre-amplifiers.

Loop Monitor: This jack socket permits the connection of standard, good quality stereo headphones for monitoring the current in the loop. The headphones are connected in parallel with the loop current sensing resistor, which is of very low value and therefore what can be heard at this point is exactly the current which drives the loop.

Loop Output: The loop is connected to the ILD252 using a special 2-way connector, capable of handling the current. Ensure that no stray wires protrude from the individual terminals. Normally, the polarity of the loop does not matter, except when multiple amplifiers are driving a power combiner, or in a specialised loop layout, where the design information will highlight this requirement. Ensure that the connector is correctly wired, and has the cover securely fastened. The cable to the loop from the amplifier should consist of either two wires twisted together, or a four cable, wired in a star-quad configuration. See "Designing Induction Loops" handbook for more details

Earth Link: The earth link switch can be used to disconnect the amplifier signal circuits from the AC power ground. This may minimise the problems caused by



circulating earth currents, which can result in a hum signal being fed into the loop.

3.8 Front Panel Controls & Indicators

POWER Switch: Located on the front right of the unit for easy access. Disables both poles of the AC supply from the rest of the unit.

POWER LED: Located next to the Power Switch, this Illuminates when power is applied to the unit and the Power Switch is toggled to the On (!) position. Flashes during self test on start-up.

MIC and LINE gain controls: These adjusts the level of signal that is fed into the compressor.

COMPRESSION LEDs: These indicate the amount of gain reduction in decibels.

LOOP CURRENT Control: Adjusts the level of peak current that is delivered into the Loop through the loop output.

CURRENT LEDs: Indicates the Peak current (A) that is being delivered into the loop.

OVERLOAD LED: This illuminates when a signal or adjustment causes internal circuits to overload, resulting in distortion and potential malfunctioning of the system.

OVERHEAT LED: this illuminates when the equipment overheats internally, causing a signal shutdown until the amplifier has cooled.

LOOP ERROR LED: This illuminates when the internal test indicates a fault in the actual loop.(see section 6.4 Troubleshooting)

4. OPERATION & SYSTEM SET-UP

4.1 Start-up Procedure

An internal self test system has been incorporated in the equipment. When switching on, the POWER LED will flash for some 5 seconds, during which time the amplifier is checked for correct operation and the loop resistance is tested. If both are correct, the unit will then switch to an operational mode, and the LED will remain on without flashing. However, if an amplifier fault exists, or develops during operation, the equipment will return to a safe mode, and the LED will flash continuously.

4.2 Initial setting up

During the initial commissioning of the equipment it is essential that the following procedure be used to ensure a satisfactory end result. Turn the MIC, LINE and LOOP CURRENT controls fully anti-clockwise, i.e. minimum signal. Provide a continuous input signal, preferably from a small tape or CD player with good quality speech, connected directly to the line input.

Ensure that all connections are made correctly, including power and loop.

Switch equipment on. After the startup routine, only the POWER LED should be illuminated.

Increase the LINE gain control until 2 of the compression LEDs are just illuminated under peak signal conditions. This establishes a reference level for the output power driver. Increase the LOOP CURRENT setting until the desired output current is achieved. Where the current needed is a value between two LED readings, position the control by interpolating, bearing in mind that consecutive LEDs illuminate at 2dB intervals. Having achieved this setting of the LOOP CURRENT, check with headphones plugged into the loop monitor output socket to ensure that a satisfactory sound quality is obtained. If a standard field-strength measuring unit is available, then check that the loop magnetic field has the correct strength. From this point onwards, the LOOP CURRENT control will not need re-adjusting, as this only affects the peak field strength. For systems using multiple master/slave configurations, and phased array systems, adjust the output current as defined in the relevant instruction.

Before connecting to the audio system, check the entire sound system for crosstalk from the loop into the audio inputs. While playing a music tape directly into the loop driver, check every audio system channel. If a significant amount of signal is picked up on the relevant input, then check and correct the wiring for defective grounding. This ensures adequate stability for the complete system.

Connect the cable from the audio system to the line input, and re-adjust the input gain control for optimum compression.

Use the same procedure when using the MIC INPUT, and having normal speech as the input.

4.3 Optimising the Levels

To obtain the greatest possible dynamic control range from the compressor, it is now necessary to establish the highest level of input signal which the equipment may receive in the operational installation. This will often be loud, close talking into a microphone. If the LINE or MIC is adjusted so that the amber 36dB LED does not illuminate, (just), then the compressor will maintain the highest possible level into the loop for faint speech, etc. Monitoring with the output headphones will indicate the clarity of the signal under all levels of compression. It should be pointed out here that background hum and noise from equipment earlier in the chain, such as a PA system may sound unacceptable when subjected to some 18-30 dB extra amplification. When this occurs, the gain must be kept at a lower, acceptable level. This may also have to be done in the case of marginal magnetic feedback via dynamic microphones, etc. Where the dominant signal is music, then it may be important to keep the compression level low, to

prevent serious degradation of the signal dynamics. Experience will indicate which level to use. REMEMBER: once the LOOP CURRENT control has been set, only adjust the relevant LINE or MIC control, as otherwise the correct operation of the system is impaired.

4.4 Metal Loss Correction.

This control adjusts the boost of high frequencies. It is used to compensate the frequency response for the effect of metal on the magnetic field generated by the loop. Losses due to structural metalwork mean that increased drive and frequency compensation are needed to comply with the international IEC standard EN60118-4 and it's national derivatives.

A simple method is to listen to the sound with a good quality receiver such as the ILR2. Using the same headphones, listen first to the loop current signal obtainable from the Loop Monitor outlet on the ILD252 with metal loss correction set to minimum. Then listen to the loop signal using the ILR2 and adjust the "Metal Loss Correction" to obtain a similar sound quality.

A full plot of the actual response can be made with suitable equipment, using the CMR3 calibrated measuring receiver, in conjunction with suitable Audio Analyser. This test is normally done with Pink Noise at the required current, or a sine-wave frequency sweep (which must be done at 12dB below maximum loop current).

Please contact Ampetronic Ltd for further advice.

5 ACCESSORIES

5.1 Rack and Wall Mounting

A rackmount kit is supplied for installing the unit in a 19" standard rack. Wall mounting brackets (WM252) are available for mounting the amplifier on a wall with appropriate fixings.

5.2 Microphone Pre-amplifiers

The equipment can be used with separate microphone preamplifiers, which are available in different configurations from Ampetronic (see data sheets for details). The power for these amplifiers can come from the $\pm 15V$ DC output socket. The preamp output is connected into the Line Input socket. To ensure EMC immunity, the connecting cable should be less than 1 metre long, and should be a balanced line connection if possible.

5.3 100V Line



The ILD252 can be connected to a 70V / 100V line system via the ATT100 adaptor. The leads from the 100V speaker line are wired to the connector which plugs into the adaptor, which is plugged directly (no extension cable!) into the Line Input socket. Similarly, the ATT30 can be used to connect the ILD252 to a low impedance speaker system.

6. TROUBLESHOOTING

6.1 General

If you have any difficulties in calculating the loop design, or experience difficulties with the operation of the equipment, then contact your supplier or Ampetronic Ltd. It is useful to have all the relevant data available when contacting our technical staff who will be pleased to help you.

Please have the following information available:

- Loop dimensions, loop position, conditions under which problem occurs, building usage, equipment type. The following are known trouble areas:
 - Strong hum field, mainly from fluorescent light fittings, or electrical wiring where current flow and return are not in the same cable or duct. This is often due to faulty wiring, or old wiring standards.
 - Electric guitars used in single coil mode. Twin coil/humbucker mode is generally necessary to prevent pickup of the loop signal into the guitar.
 - Loop cable installed where it is in close proximity to microphone (or other audio) cables for an appreciable length. Telephone cabling can also be very sensitive to this coupling.

6.2 Fuses

A 20mm fuse is incorporated in the rear panel power input socket. It is necessary to remove the power cord before extracting the fuse holder. The fuse rating and type are printed on the rear panel.

6.3 Ventilation & Overheating

Section 3.4 indicates the necessity for good ventilation of the equipment. If the enclosure, or location, where the unit is installed does not provide a satisfactory airflow, or obstructs the air vents on the equipment, then the OVERHEAT LED will illuminate. Please correct the ventilation of the location.

6.4 Loop Error

On power up, or after self re-start, the unit will test the resistance of the loop - a failure will be indicated by the Loop Error LED. The loop must be within the range detailed in 7. Technical Specification-Loop Resistance. Check the loop falls within these limits, re-connect and cycle the power on the unit.

7. TECHNICAL SPECIFICATION

Microphone Input:

Suitable for driving from 200–600 microphones

Electronically balanced, XLR connector.

Phantom voltage: +15V DC available

Input Sensitivity: -70dBu (gain boost position). Gain boost is 15dB

Overload level -20dBu.

Line Input:

Impedance 1MΩ each side, 2MΩ differential.

Sensitivity:-30dBu to +20dBu (overload).

Balanced signal line. 6.3mm (1/4") 3-pole jack socket. Can be used unbalanced with mono plug.

Common mode rejection better than 50dB below 500Hz.

Slave Input / Output

Input Impedance 100kΩ Sensitivity 1V rms, +2.2dBu.

Source Impedance 220Ω Output level 1V rms +2.2dBu.

Signals are unbalanced, with a 3-pole jack socket used as an insert point. See section 3.7 for connections.

Metal Loss Correction

Loss correction adjustable from 0 to 3dB per octave.

Gain remains constant at 1kHz. Lower frequencies are attenuated.

Higher frequencies are boosted.

Loop Current and Voltage:

7A Peak signal current into a SINGLE TURN loop. Absolute max. peak current >9A. Metering via front panel LEDs. These LEDs indicate the peak current, with intervals of 2dB. Peak output voltage >19V.

Loop Resistance:

Must be less than 3Ω, and greater than 0.3Ω. Consult the "Designing Induction Loops" handbook for fuller details.

Loop Monitor:

3.5mm 3-pole Jack socket for connecting normal headphones. Output level 0.77 V peak at full rated current.

Compression / AGC:

Compression range 36dB before overload. Front panel indication of compression level. Ratio > 100:1,ie less than 0.25dB output change for 25dB input change. Attack and Decay time constants optimised for speech.

Frequency response:

80Hz to 6.5kHz ±1.5dB, measured as loop current. Practical high frequency response is related to the characteristics of loop connected to the unit, the current in that loop, and signal content.

± 15VDC output: Regulated output, up to 0.15A.

AC Power input:

AC 45-65Hz. 85W

230V AC version: T 630 mAL

Fuse fitted in input connector:

120V AC version: T 1.25AL

Dimensions:

Width: 430mm

Depth: 220mm

Height: 44mm (1U)

Weight: 2.9kg**Environmental:**

Temperature: -10°C to +40°C

Relative Humidity: not exceeding 90%

Ingress Protection: IP20

8. Warranty Information

This product carries a 5 year parts and labour warranty which could be invalidated if these instructions are not followed correctly, or if the unit is tampered with in any way.

The 5 year warranty is dated from the time the equipment leaves Ampetronic and NOT when it is installed.

9. Declaration of Conformity

Manufacturer: Ampetronic Ltd.

Address: Northern Road, Newark,
Nottinghamshire, NG24 2ET.
United Kingdom.

Country of manufacture: England

Declares that the product:

Description: Induction Loop Driver

Type Name: ILD252

Conforms to the following Directive(s) and Norm(s):

Directive 89/336/EEC

EMC: EN55103 (1 & 2) 1996

Directive 73/23/EEC

Safety: EN60065 (2002)


November 2004

L.A. Pieters


Technical Director

Ampetronic Ltd.

FRONT PANEL



REAR PANEL-230V



REAR PANEL-115V

